

Glacier

Bottled Water Cooler




Crystal Mountain™

Glacier

Bottled Water Cooler

The Glacier cooler is sophistication simplified. The rounded cabinet has a stylish fluted front, giving it a classic Greek column design. Features include approved food grade HDPE removable reservoir and the sealed Crystal Guard non-spill system. The Glacier is available in white or granite with an optional bottle cover and if desired, the DryGuard™ system can be fitted at the factory.



Child-proof hot water faucet



Cup dispenser



Hot water On and Off switch



Removable drip tray

DryGuard™

Crystal Mountain's patented DryGuard™ optional feature on all bottle-water coolers and is standard on certain models. Molded from polypropylene, this sealed system protects your floors against leaks caused by cracked and faulty bottles.



Glacier

Bottled Water Cooler

Performance & Specifications

Model: Hot & Cold; Cook & Cold

General:

Air cooled, bottled type water cooler provided with a power supply cord for connection to source of power supply

Cooler Cabinet:

Blow molded, high density polyethylene(HDPE) resistant to cracking
Other colours are also available when order by container

Faucet Type:

Concealed faucet for optimum hygiene
Constructed of FDA approved nylon and silicon tubing
Optional child lock safety function

Cold Water Tank Specifications:

Stainless steel 304 or HDPE casing with 2.0L volume
Cold water cooling capacity of 3.5L/hr based on 21°C(69.8°F) room temperature

Cold Water Thermostat:

Preset at factory to dispense water at temperature from 6-10°C(43-50°F)
Adjustable cold control located at the back of the cabinet

Hot Water Tank Specifications:

Stainless steel 304 casing with 1.8L volume
Hot water capacity of 4.8L/hr based on 21°C(69.8°F) room temperature

Hot Water Thermostats and Heater:

Automatic thermostat control with temperature range of 75-92° C(167-197°F)
Manual thermostat reset in case of automatic thermostat failure
450W external heater band
ON/OFF switch located at the back of the cabinet
Electronic thermostatic system(ETS) is available, which provides for a temperature control range of 88-92°C(190.4-197°F)

Compressor Type:

Hermetically sealed reciprocating
(220~240VAC /50Hz)(110-115VAC 60Hz)

Refrigerant Type: R134a(CFC Free)

Refrigerant Charge: 1oz

Weight:H&C:13.6kg(30lbs.) C&C:12.8kg(28lbs.)

Dimensions:

314mm deepx312mm widex980mm high
(12.4in. deepx12.2in. Widex38.6in .high)

Packaging:

322mm deepx320mm widex997mm high
(12.7in. deepx12.6in. widex39.2in. high)

20FT Container Quantity: 252 UNITS

40FT Container Quantity: 518 UNITS





Crystal Mountain Products Limited

North American Sales Office

18136-102 Avenue
Edmonton, Alberta
Canada T5S 1S7
Toll Free: 1 800 878 6422
Tel: 1 780 454 4545
Fax: 1 780 454 9816
E-Mail: cmcanada@crystalcoolers.com

European Sales Office

Westminster House
10 Westminster Road
Macclesfield, Cheshire
United Kingdom SK10 1BX
Tel: 44(0) 1625 439 111
Fax: 44(0) 1625 502 330
E-Mail: cmeurope@crystalcoolers.com

Crystal Mountain International Limited

Hong Kong Sales Office

Room 610
Winfield Commercial Building 6-8A
Prat Avenue, Tsimshatsui
Kowloon, Hong Kong
Tel: (852)2368 1989
Fax: (852)3017 6727
E-mail: cmasia@crystalcoolers.com

Website: www.crystalcoolers.com



Crystal Mountain has a policy of continuous improvement and reserves the right to change specifications without notification.